L	Hits	Search Text	DB	Time stamp
Number	11100			-
1	94	(oil or fluid) same ((block or head)	USPAT; US-PGPUB;	2004/07/24
		near2 cylinder) same (gallery or reservoir or tank or sump) same (peanut	EPO; JPO;	12.31
	ĺ	or contract\$3 or constrict\$4 or narrow\$3)	DERWENT	
2	6321	123/90.12,90.15,90.13,90.33,90.34,90.38,19	BUSPA93.3,19	32.050.41/205W/21498DA.ccls
	0321	or 184/6.5, 6.6.ccls.	US-PGPUB;	12:33
		01 101/ 0.3/ 0.0.0015.	EPO; JPO;	
			DERWENT	
3	3	((oil or fluid) same ((block or head)	USPAT;	2004/07/24
-		near2 cylinder) same (gallery or	US-PGPUB;	12:33
		reservoir or tank or sump) same (peanut	EPO; JPO;	
		or contract\$3 or constrict\$4 or	DERWENT	
		narrow\$3)) and		
-	33	1 2 2 2		1920.04,71096M2,41.98DA.CCI
		or 184/6.5,6.6.ccls.)	US-PGPUB;	12:29
			EPO; JPO;	ŀ
			DERWENT	2004/03/26
-	8	lee-bong-sang.in.	USPAT; US-PGPUB;	15:56
			EPO; JPO;	13.30
			DERWENT	
	72	lee-seung-woo.in.	USPAT;	2004/03/26
-	12	Tee-Seung-woo.in.	US-PGPUB;	15:58
			EPO; JPO;	
			DERWENT	
_	3042	123/90.12,90.13,90.15,90.33,90.34,90.38.cc		2004/03/26
	""		US-PGPUB;	15:59
	,		EPO; JPO;	
			DERWENT	
_	1266	123/193.1,193.5.ccls.	USPAT;	2004/03/26
		·	US-PGPUB;	15:59
			EPO; JPO;	1
			DERWENT	2004/02/26
-	391	123/196M.ccls.	USPAT;	2004/03/26 15:59
1			US-PGPUB; EPO; JPO;	15:59
:			DERWENT	
	118	123/198DA.ccls.	USPAT;	2004/03/26
-	110	123/190DA. CC15.	US-PGPUB;	16:00
	Ì		EPO; JPO;	
			DERWENT	
	46	123/90.12,90.13,90.15,90.33,90.34,90.38.cc		2004/03/26
		and 123/193.1,193.5.ccls.	US-PGPUB;	16:07
			EPO; JPO;	
			DERWENT	
-	56	123/90.12,90.13,90.15,90.33,90.34,90.38.cc	luspat;	2004/03/26
		and 123/196M.ccls.	US-PGPUB;	16:23
			EPO; JPO;	
			DERWENT	2004/03/36
-	49	(123/90.12,90.13,90.15,90.33,90.34,90.38.c		2004/03/26
		and 123/196M.ccls.) not	US-PGPUB;	16:08
		(123/90.12,90.13,90.15,90.33,90.34,90.38.6	DEDMENT	
		and 123/193.1,193.5.ccls.)	DERWENT	2004/03/26
-	1		US-PGPUB;	16:29
	1	and 123/198DA.ccls.	EPO; JPO;	10.25
1			DERWENT	- 1
_	748	184/6.5,6.6.ccls.	USPAT;	2004/03/26
-	'40	101/0.0,0.0.0013.	US-PGPUB;	16:29
			EPO; JPO;	
-	1		DERWENT	
_	59	123/90.12,90.13,90.15,90.33,90.34,90.38.cc		2004/03/26
		and 184/6.5, 6.6.ccls.	US-PGPUB;	16:30
			EPO; JPO;	
			DERWENT	1

				0001/00/06
_	46	(123/90.12,90.13,90.15,90.33,90.34,90.38.cc	USPAT;	2004/03/26
		and 184/6.5.6.6.ccls.) not	US-PGPUB;	16:35
		((123/90.12,90.13,90.15,90.33,90.34,90.38.	EPS; JPO;	1
		and 123/193.1,193.5.ccls.) or	DERWENT	i
		and 123/193.1,193.3.cc15.7 or		
		(123/90.12,90.13,90.15,90.33,90.34,90.38.cc		
		and 123/196M.ccls.))	WODDING.	2004/03/26
-	5387		BSPAT;	2004/03/26
	1	or 123/193.1,193.5.ccls. or	US-PGPUB;	16:36
			EPO; JPO;	
		184/6.5, 6.6.ccls.	DERWENT	Į.
	10752	cylinder adj head same cylinder adj block	USPAT;	2004/03/26
-	10753	Cylinder adj nead same cylinder adj brock	US-PGPUB;	16:36
				10.30
			EPO; JPO;	
			DERWENT	2004/00/00
1 - 1	176	(cylinder adj head same cylinder adj	USPAT;	2004/03/26
		block) and cam\$1shaft near2 (journal or	US-PGPUB;	16:38
		bearing) with (oil or lubrica\$4)	EPO; JPO;	i
	!		DERWENT	
	7.0			2004/03/26
-	72	(123/90.12,90.13,90.13,90.33,90.34,90.30.00	US-PGPUB;	16:39
				10.55
		123/196M.ccls. or 123/198DA.ccls. or	EPO; JPO;	
	1	184/6.5,6.6.ccls.) and ((cylinder adj	DERWENT	1
		head same cylinder adj block) and		ļ
		cam\$1shaft near2 (journal or bearing)		1
	22	\(\frac{1}{1}\) \(\frac{1}{2}\) \(\frac{1}2\) \(\frac{1}{2}\)	:UBBAT;	2004/03/26
_	22	or 123/193.1,193.5.ccls. or	US-PGPUB;	16:41
		OL 123/133.1,133.3.CC13. OL	EPO; JPO;	_ ,
		123/196M.ccls. or 123/198DA.ccls. or	DERWENT	
	1	184/6.5,6.6.ccls.) and ((cylinder adj	DECMENT	
ĺ		head same cylinder adj block) and		
		cam\$1shaft near2 (journal or bearing)		
1		with (oil or lubrica\$4))) and (((variable		
		near2 valve) or VTC or VVT or VVA or VCT)	i	
	7	wbsh5105470r\$lubr\sa60\$2629-\$ or	USPAT	2004/03/30
_	/	US-6227155-\$ or US-6263844-\$ or	V	12:40
1		05-622/155-5 01 05-6205044 5 01		
		US-6619247-\$ or US-6035817-\$ or		
		US-6343580-\$).did.	*****	2004/02/20
-	0		USPAT;	2004/03/30
1		US-6227155-\$ or US-6263844-\$ or	US-PGPUB;	12:44
	-	US-6619247-\$ or US-6035817-\$ or	EPO; JPO;	
		US-6343580-\$).did.) and temperature near2	DERWENT	
		sensor		
	3	1	USPAT;	2004/03/30
_	3	US-6227155-\$ or US-6263844-\$ or	US-PGPUB;	12:43
		US-622/155-5 OF US-6265644-5 OF	EPO; JPO;	12.10
}		US-6619247-\$ or US-6035817-\$ or		
		US-6343580-\$).did.) and sensor	DERWENT	0004/00/20
	1	((US-5195472-\$ or US-6032629-\$ or	USPAT;	2004/03/30
	1	US-6227155-\$ or US-6263844-\$ or	US-PGPUB;	12:48
1		US-6619247-\$ or US-6035817-\$ or	EPO; JPO;	
		US-6343580-\$).did.) and temperature	DERWENT	
	3		USPAT;	2004/03/30
-	1	US-6227155-\$ or US-6263844-\$ or	US-PGPUB;	12:56
1		110 CC10047 A 110 C025017 A CM	EPO; JPO;	
	1	US-6619247-\$ or US-6035817-\$ or	DERWENT	
		US-6343580-\$).did.) and (bearing or	DEKMENT	
		journal) near3 groove	l	0004/02/22
_	6	((US-5195472-\$ or US-6032629-\$ or	USPAT;	2004/03/30
1	1	US-6227155-\$ or US-6263844-\$ or	US-PGPUB;	13:18
	1	US-6619247-\$ or US-6035817-\$ or	EPO; JPO;	
1		US-6343580-\$).did.) and (bearing or	DERWENT	
i	1			I
	1	journal) (123/90.12,90.13,90.15,90.33,90.34,90.38,1	מווכוס מים בי בי	9290 (E4) (1896)/KR (11 9.8 D.) 2
-	6172		TIG DODITO.	13:20
		or 184/6.5,6.6).ccls.	US-PGPUB;	13:20
1			EPO; JPO;	
1			DERWENT	
_	76	((123/90.12,90.13,90.15,90.33,90.34,90.38,	1 93PAT1 93.3,	129030.45/,0139/63M, 198DA
	1	or 184/6.5,6.6).ccls.) and oil near2	US-PGPUB;	13:39
	1	temperature with sensor	EPO; JPO;	
		cemberature with sensor	DERWENT	
				STOOM ENGLOSEM 1000
-	2		, wasai; 193.	12.22
		or 184/6.5,6.6).ccls.) and oil near2	US-PGPUB;	13:22
		temperature with sensor) and temperature	EPO; JPO;	1
1		near4 (slant\$3 or tilt\$3)	DERWENT	
		<u> </u>		

-	66	(((123/90.12,90.13,90.15,90.33,90.34,90.38,	W9BAT;193.3 US-PGPUB;	,2109034,50,31,9360M, 198DA 13:33
		or 184/6.5,6.6).ccls.) and oil near2 temperature with sensor) and control	EPO; JPO;	15.55
		near2 valve	DERWENT	
	0	(((123/90.12,90.13,90.15,90.33,90.34,90.38,	W9BAT;193.3	,2109034,50,31/9360M, 198DA
	-	or 184/6.5,6.6).ccls.) and oil near2	US-PGPUB;	13:41
		temperature with sensor) and	EPO; JPO;	•
		123/193.1,193.3,193.5.ccls.	DERWENT	2160004 £0.21 £0204 1.0.0.0.2
_	6	(((123/90.12,90.13,90.15,90.33,90.34,90.38,	US-PGPUB;	13:42
		or 184/6.5,6.6).ccls.) and oil near2 temperature with sensor) and	EPO; JPO;	13.42
		123/90.33,90.34,90.38.ccls.	DERWENT	
_	111	((123/90.12,90.13,90.15,90.33,90.34,90.38,		129080.45/,0L39/63M), 198 DA
		or 184/6.5,6.6).ccls.) and oil near4	US-PGPUB;	13:46
		sensor	EPO; JPO;	
	i		DERWENT	
_	26	((123/90.12,90.13,90.15,90.33,90.34,90.38,		
		or 184/6.5,6.6).ccls.) and fluid near2	US-PGPUB;	13:40
		temperature with sensor	EPO; JPO;	
	3.0	(((123/90.12,90.13,90.15,90.33,90.34,90.38	DERWENT	,2109034,50,31,4936M, 198DA
_	16	or 184/6.5,6.6).ccls.) and fluid near2	US-PGPUB;	13:40
		temperature with sensor) not	EPO; JPO;	
		(((123/90.12,90.13,90.15,90.33,90.34,90.38		,193.5,196M,198DA
_	3	φr(183/80518, 80. tc]90) 15nd0033, dear2, 90.38	, ШЭВ АТ;193.3	,2100034,50,31,9360M, 198DA
	·	bemperature6w6thcsensprand oil near4	US-PGPUB;	13:45
		sensor) and 123/193.1,193.3,193.5.ccls.	EPO; JPO;	
			DERWENT	TITETO A FOR TOTAL 100D
-	10	(((123/90.12,90.13,90.15,90.33,90.34,90.38		
		or 184/6.5,6.6).ccls.) and oil near4	US-PGPUB;	13:45
-X-		sensor) and 123/90.33,90.34,90.38.ccls.	EPO; JPO; DERWENT	*
	0	((((123/90.12,90.13,90.15,90.33,90.34,90.3		32.01098/.053./13906M . 1.98DA
_		or 184/6.5,6.6).ccls.) and fluid near2	US-PGPUB;	13:46
]		temperature with sensor) not	EPO; JPO;	
		(((123/90.12,90.13,90.15,90.33,90.34,90.38	, derwent93.3	,193.5,196M,198DA
		or 184/6.5,6.6).ccls.) and oil near2		
-	0	temperaragelwigh.san90r15, and33, 90.34, 90.3		
		ዕድ3/89%6151036%, ዕፀሽs5) cemhd.fluid near2	US-PGPUB;	13:46
		temperature with sensor) not	EPO; JPO;	103 5 106M 108DA
		(((123/90.12,90.13,90.15,90.33,90.34,90.38	, เกลนพายพายาว	, 193.3, 196M, 196DA
	33	or 184/6.5,6.6).ccls.) and oil near2 temparaouta, soth3sensob) 90and, 90.34,90.38,	1 FF F D A T 1 9 3 3	129080.45/,0139/63MJ, 198DA
_	33	623190/83596.84,00138)cahd.fluid near4	US-PGPUB;	13:46
		sensor	EPO; JPO;	
			DERWENT	
-	0	(((123/90.12,90.13,90.15,90.33,90.34,90.38	, U9BAT; 1 93.3	,21090B4,50,31/9360M,198DA
		or 184/6.5,6.6).ccls.) and fluid near4	US-PGPUB;	13:46
		sensor) and 123/193.1,193.3,193.5.ccls.	EPO; JPO;	
		(((123/90.12,90.13,90.15,90.33,90.34,90.38	DERWENT	SIDERA FOR SIDERM 108DA
_	2	or 184/6.5,6.6).ccls.) and fluid near4	US-PGPUB;	13:46
		sensor) and 123/90.33,90.34,90.38.ccls.	EPO; JPO;	
		55.1551/ 4114 125/50.05/50101/50.00100.	DERWENT	
-	1	(US-6035817-\$).did.	USPAT	2004/03/30
				14:19
-	0	((US-6035817-\$).did.) and oil adj chamber	USPAT;	2004/03/30
			US-PGPUB;	14:19
			EPO; JPO;]
	,	//ug_6025817_6\ did \ and chambon	DERWENT USPAT;	2004/03/30
-	1	((US-6035817-\$).did.) and chamber	US-PGPUB;	14:36
			EPO; JPO;	
			DERWENT	
_	1	((US-6035817-\$).did.) and (bearing or	USPAT;	2004/03/30
		journal) and block and passage	US-PGPUB;	14:37
			EPO; JPO;	
I			DERWENT	<u> </u>